

Name Alexander Beeser

Title Assistant Professor

Publications

Park, H.-D., **Beeser, A.E.**, Clancy, M.J., Cooper, T.G. The *S. cerevisiae* nitrogen starvation-induced Yvh1p and Ptp2p phosphatases play a role in control of sporulation. *Yeast*, **12**:1135-1151, 1996.

**Beeser, A.E.**, Cooper, T.G. Control of nitrogen catabolite repression is not affected by the tRNAGln-CUU mutation, which results in constitutive pseudohyphal growth of *Saccharomyces cerevisiae*. *J. Bacteriol.*, **181**:2472-2476, 1999.

**Beeser, A.E.**, Cooper, T.G. The dual-specificity protein phosphatase Yvh1p acts upstream of the protein kinase Mck1p in promoting spore development in *Saccharomyces cerevisiae*. *J. Bacteriol.*, **181**:5219-5224, 1999.

Scott, S.S., Dorrington, R., Svetlov, V., **Beeser, A.E.**, Distler, M., Cooper, T.G. Functional domain mapping and subcellular distribution of Dal82p in *Saccharomyces cerevisiae*. *J. Biol. Chem.*, **275**:7198-7204, 2000.

**Beeser, A.E.**, Cooper, T.G. The dual-specific protein phosphatase Yvh1p regulates sporulation, growth and glycogen accumulation independently of catalytic activity in *Saccharomyces cerevisiae* via the cyclic AMP-dependent protein kinase cascade. *J. Bacteriol.*, **182**:3517-3528, 2000.

Xiao, G-H, **Beeser, A.**, Chernoff, J., Testa, J.R. p21-activated Kinase Links Rac/Cdc42 Signaling to Merlin. *J. Biol. Chem.* **277**:883-886, 2002.

Penzes, P., **Beeser, A.**, Chernoff, J., Schiller, M.R., Eipper, B.A., Mains, R.E., Huganir, R.L. Rapid induction of dendritic spine morphogenesis by trans-synaptic ephrinB-EphB receptor activation of the Rho-GEF kalirin. *Neuron* **37**:263-274, 2003.

Cotteret, S., Jaffer, Z.M., **Beeser, A.**, Chernoff, J. p21-Activated kinase 5 (Pak5) localizes to mitochondria and inhibits apoptosis by phosphorylating BAD. *Mol. Cell Biol.* **23**:5526-5539, 2003

Reynolds, L.F., DeBettignies, C., Norton, T., **Beeser, A.**, Chernoff, J., Tybulewicz, V.L. Vav1 transduces T cell receptor signals to the activation of the Ras/ERK pathway via LAT, Sos and RasGRP1. *J. Biol. Chem.* **279**:18239-18246, 2004.

**Beeser, A.**, Jaffer, Z.M., Hofmann, C., Chernoff, J. Role of group A p21-activated kinases in activation of extracellular-regulated kinase by growth factors. *J. Biol. Chem.* **280**:36609-36615, 2005.

**Beeser, A.**, and Chernoff J. Production and use of a cell permeable inhibitor of group A Paks (TATPID) to analyse signal transduction. *Methods* **37**: 203-207 (2005)

Thullberg, M., Gad, A. **Beeser, A.**, Chernoff J. and Strömblad S. The kinase-inhibitory domain of p21-activated kinase 1 (Pak1) inhibits cell cycle progression independent of Pak1 kinase activity. *Oncogene* (epub ahead of print)

Rennefahrt, U.E.E., Deacon, S., Parker S.A., Devarajan, K., **Beeser A.**, Chernoff, J., Knapp, S., Turk, B.E., and Peterson J.R. Specificity profiling of Pak kinases allows identification of novel phosphorylation sites. *J. Biol. Chem.* Vol 282: 15667-15678

Deacon SW, **Beeser A**, Fukui JA, Rennefahrt UE, Myers C, Chernoff J, Peterson JR. An isoform-selective, small molecule inhibitor targets the autoregulatory mechanism of p21-activated kinase. *Chem Biol.* 15:322-331