




3-IN-ONE®



MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

Manufacturer: WD-40 Company Address: 1061 Cudahy Place (92110) P.O. Box 80607 San Diego, California 92138-0607	Telephone: Emergency Only: 1 (800) 424-9300 (CHEMTREC) Information: (619) 275-1400 Chemical Name: Organic Mixture Trade Name: Three-In-One Motor Oil
--	---

II. HAZARDOUS INGREDIENTS

Chemical Name	CAS Number	%	Exposure Limit ACGIH/OSHA
Solvent-Refined Heavy Paraffinic Oil	64741-88-4	> 96	5 mg/M ³ TWA (mist)
Non-hazardous Ingredients		< 4	

III. PHYSICAL DATA

Appearance:	Clear amber liquid	Volatiles:	Nil
Odor:	Faint citronella	pH:	Not applicable
Boiling Point:	Above 550°F	Specific Gravity:	0.866 - 0.940 @ 20°C
Freezing Point:	Not applicable	Vapor Pressure:	Not determined
Solubility in Water:	Insoluble	Vapor Density (Air = 1):	Not determined

IV. FIRE AND EXPLOSION

Flash Point:	Above 350°F TOC
Flame Extension:	Not applicable
Extinguishing Media:	CO ₂ , Dry Chemical, Foam, Water Spray
Fire Fighting Procedures:	Use water to keep fire-exposed containers cool.

V. HEALTH HAZARD / ROUTE(S) OF ENTRY

Symptoms of Overexposure	
Inhalation (Breathing):	May cause anesthesia, headache, dizziness, nausea and upper respiratory irritation.
Skin Contact:	May cause drying of skin and/or irritation.
Eye Contact:	May cause irritation, tearing and redness.
Ingestion (Swallowed):	May cause irritation, nausea, vomiting and diarrhea.
First Aid Procedures	
Ingestion (Swallowed):	Do not induce vomiting. Seek medical attention.
Eye Contact:	Immediately flush eyes with large amounts of water for 15 minutes.
Skin Contact:	Wash with soap and water.
Inhalation (Breathing):	Remove to fresh air. Seek medical attention if discomfort or irritation continues.
Suspected Cancer Agent	
Yes _____ No <u>X</u>	The components in this mixture have been found to be noncarcinogenic by NTP, IARC and OSHA.

VI. REACTIVITY DATA

Stability:	Stable <u> X </u>	Unstable <u> </u>
Conditions to avoid:	NA	
Incompatibility:	Strong oxidizing materials	
Hazardous decomposition products:	Thermal decomposition may yield carbon monoxide and/or carbon dioxide.	
Hazardous polymerization:	May occur <u> </u>	Will not occur <u> X </u>

VII. SPILL OR LEAK PROCEDURES

Spill Response Procedures

Absorb small quantities with sand, earth, sawdust. Large quantities pump into tank.

Waste Disposal Method

Incinerate liquid, bury saturated absorbent in land fill. Dispose of in accordance with local, state and federal regulations.

VIII. SPECIAL HANDLING INFORMATION

Ventilation Requirements:	Use local exhaust to capture vapor, mists or fumes, if necessary. Provide ventilation sufficient to prevent exceeding recommended exposure limit or build-up of explosive concentrations of vapor in air. No smoking, or use of flame or other ignition sources.
Respiratory Protection:	Use air respiratory protection in confined or enclosed spaces, if needed.
Protective Gloves:	Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.
Eye Protection:	Use splash goggles or face shield when eye contact may occur.

IX. SPECIAL PRECAUTIONS

Keep from open flame. Do not take internally. Avoid excessive inhalation of vapors. Keep from children.

X. REGULATORY INFORMATION

All ingredients for this product are listed on the TSCA inventory.

SARA Title III chemicals:	None
California Prop 65 chemicals:	None
CERCLA reportable quantity:	None
RCRA hazardous waste no.:	None

SIGNATURE: R. Miles 

TITLE: Technical Director

REVISION DATE: February 2000

SUPERSEDES: April 1997

NA = Not applicable

NDA = No data available

< = Less than

> = More than

We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the user's responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using product, read label.

MSDS 3/C