

Habitat Model for Species: **Grotto Salamander**

Typhlotriton spelaeus

[Distribution Map](#)

Landcover Category

0 - Comments

Ashton and Collins, 1973
Taggart, 1992

Beard, 1986

Rundquist and Collins, 1977

Young and Beard, 1993
[#Reviewer]

Habitat Restrictions

Comments

Restricted to cave habitat in Cherokee, Co.
Found in first 300 ft of Schermerhorn Park Cave in Cherokee Co., KS.

Three larval specimens found in the stream of Schermerhorn Park Cave at 90 ft, 250 ft, and 2300 ft into the cave.


Found in stream at Schermerhorn Park and small stream 1 mile east of park in Cherokee Co., Kansas.

Found in Keokuk Limestone cave in Cherokee Co., KS.
Distler: Collected from Carver Spring in the 70's, Cherokee County.

Reference List

1. Ashton, R. E. and J. T. Collins. 1973. Rare, Endangered, and Extirpated Species in Kansas II. Amphibians and Reptiles. Transactions of the Kansas Academy of Science 76(3):185-192.
2. Beard, J. B. 1986. Salamanders of Schermerhorn Park Cave, Kansas. Kansas Herpetological Society Newsletter 66:7-8.
3. Rundquist, E. M. and J. T. Collins. 1977. The Amphibians of Cherokee County, Kansas. Reports of the State Biological Survey of Kansas 14:1-12.
4. Taggart, T. 1992. Observations on Kansas amphibians and reptiles. Kansas Herpetological Society Newsletter (88):13-15.
5. Young, J. and J. Beard. 1993. Caves in Kansas. Kansas Geological Survey: Educational Series 9.

Grotto Salamander



 Range from Collins, 1993