

Habitat Model for Species: **Spotted Chorus Frog**

Pseudacris clarkii

[Distribution Map](#)
[Habitat Map](#)

Landcover Category

0 - Comments

Rundquist et al., 1978
Flehart and Johnson, 1975
[#Reviewer]

Habitat Restrictions

Comments

Harper Co., KS. Found in a small pond.
Study in Chautauqua Hills, KS. Found in flooded alfalfa
Platt: I have not found it in the sand prairies of Harvey
County.

12 - Sandsage Shrubland

[#Reviewer]

Rundquist: add

17 - Tallgrass Prairie

Burt, 1935

Study in OK. Found under flat rocks in Prairies. Selected
based on "prairie" in Habitat. Restricted to only those
prairie types that occur within the species distribution in

20 - Western Wheatgrass Prairie

Burt, 1935

Study in OK. Found under flat rocks in Prairies. Selected
based on "prairie" in Habitat. Restricted to only those
prairie types that occur within the species distribution in
Study in OK. Selected based on "mixed-grass prairie" or
"short-grass prairie" in the habitat section and presence of
selected habitat in the species range in KS.

Bragg, 1943

22 - Mixed Prairie

Burt, 1935

Study in OK. Found under flat rocks in Prairies. Selected
based on "prairie" in Habitat. Restricted to only those
prairie types that occur within the species distribution in
Study in OK. Selected based on "mixed-grass prairie" or
"short-grass prairie" in the habitat section and presence of
selected habitat in the species range in KS.

Bragg, 1943

24 - Alkali Sacaton Prairie

Burt, 1935

Study in OK. Found under flat rocks in Prairies. Selected
based on "prairie" in Habitat. Restricted to only those
prairie types that occur within the species distribution in
Study in OK. Selected based on "mixed-grass prairie" or
"short-grass prairie" in the habitat section and presence of
selected habitat in the species range in KS.

Bragg, 1943

25 - Shortgrass Prairie

Burt, 1935

Study in OK. Found under flat rocks in Prairies. Selected
based on "prairie" in Habitat. Restricted to only those
prairie types that occur within the species distribution in
Study in OK. Selected based on "mixed-grass prairie" or
"short-grass prairie" in the habitat section and presence of
selected habitat in the species range in KS.

Bragg, 1943

26 - Grass Playa Lake

Clarke et al., 1958

Study in Lyon Co., Kansas Selection based on
"temporarily flooded herbaceous" in Habitat section.
Restricted to habitat types found in species range in KS.
Found in temporary grassy pools and ditches.

28 - Spikerush Playa Lake

Clarke et al., 1958

Study in Lyon Co., Kansas Selection based on
"temporarily flooded herbaceous" in Habitat section.
Restricted to habitat types found in species range in KS.
Found in temporary grassy pools and ditches.

29 - Playa Lake

Clarke et al., 1958

Study in Lyon Co., Kansas Selection based on
"temporarily flooded herbaceous" in Habitat section.
Restricted to habitat types found in species range in KS.
Found in temporary grassy pools and ditches.

30 - Low or Wet Prairie

Clarke et al., 1958

Study in Lyon Co., Kansas. Selection based on "temporarily flooded herbaceous" in Habitat section. Restricted to habitat types found in species range in KS. Found in temporary grassy pools and ditches.

40 - Non-native Grassland

Burt, 1935

Study in OK. Found under flat rocks in Prairies. Selected based on "prairie" in Habitat. Restricted to only those prairie types that occur within the species distribution in

43 - Rock Outcrop/Bluff/Cliff - not mapped

[#Reviewer]

Rundquist: add; before and after breeding may be found in rock outcrops, which is used as hibernation and pre-breeding staging areas.

60 - Mixed Prairie-Disturbed Land


Bragg, 1943


Study in OK. Selected based on "mixed-grass prairie" or "short-grass prairie" in the habitat section and presence of selected habitat in the species range in KS.

Reference List

1. Bragg, A. N. 1943. Observations on the ecology and natural history of anura XV. The hylids and microhylids in Oklahoma. *Great Basin Naturalist* 4(3/4):62-80.
2. Burt, C. E. 1935. Further records of the ecology and distribution of amphibians and reptiles in the middle west. *American Midland Naturalist* 16(3):311-366.
3. Clarke, R. F., J. Breukelman, and T. F. Andrews. 1958. An annotated check list of the vertebrates of Lyon County, Kansas. *Transactions of the Kansas Academy of Science* 61(2):165-195.
4. Fleharty, E. D. and J. D. Johnson. 1975. Distributional records of herpetiles from the Chautauqua Hills of southeastern Kansas. *Transactions of the Kansas Academy of Science* 77(1):65-67.
5. Rundquist, E. M., E. Stegall, D. Grow, and P. Gray. 1978. New herpetological records from Kansas. *Transactions of the Kansas Academy of Science* 81(1):73-77.

Spotted Chorus Frog



 Range from Collins, 1993

Spotted Chorus Frog

