

Habitat Model for Species: Black-necked Stilt

Alpha Code: **BNST** Status: **Breeding**

[Distribution Map](#)

[Habitat Map](#)

Landcover Category

0 - Comments

[KS GAP] 30 m edge of forb playa lake, weedy marsh, and water (38,70,82).
[Reviewer]

Habitat Restrictions

Comments

Thomas Flowers, 2000. Known to breed on hog waste lagoons in Seward Co. Multiple records, multiple years by Lisa Edwards.

26 - Grass Playa Lake

Schwilling, 1969
Harrison, 1979
Kent, 1994
Buer and Buer, 1989
Seyffert, 1989
Davis, 1985
Helsing, 1985
Bent, 1962

Found on mud flats.

Found on wet meadows.

27 - Salt Marsh/Prairie

Schwilling, 1969
Harrison, 1979
Johnsgard, 1981
Buer and Buer, 1989
Helsing, 1985
Bent, 1962
Thompson and Ely, 1989
Johnsgard, 1979
Robinson et al., 1999

Found on wet meadows.

28 - Spikerush Playa Lake

Schwilling, 1969
Harrison, 1979
Kent, 1994
Buer and Buer, 1989
Seyffert, 1989
Davis, 1985
Helsing, 1985
Bent, 1962

Found on mud flats.

Found on wet meadows.

29 - Playa Lake

Schwilling, 1969
Harrison, 1979
Kent, 1994
Buer and Buer, 1989
Seyffert, 1989
Davis, 1985
Helsing, 1985
Bent, 1962

Found on mud flats.

Found on wet meadows.

30 - Low or Wet Prairie

[*****] Habitat not present within model parameters.

Schwilling, 1969
Harrison, 1979
Proescholdt, 1977
Buer and Buer, 1989
Helsing, 1985
Bent, 1962
Thompson and Ely, 1989
Robinson et al., 1999

Found on wet meadows.

31 - Freshwater Marsh

Schwilling, 1969
Harrison, 1979
Buer and Buer, 1989
Helsing, 1985
Bent, 1962
Thompson and Ely, 1989
Robinson et al., 1999

Found on wet meadows.

32 - Bulrush Marsh

Schwilling, 1969
Harrison, 1979
Johnsgard, 1981
Buer and Buer, 1989
Huser, 1992
Helsing, 1985
Bent, 1962
Thompson and Ely, 1989
Robinson et al., 1999

Found on wet meadows.

33 - Cattail Marsh

Schwilling, 1969
Harrison, 1979
Proescholdt, 1977
Buer and Buer, 1989
Huser, 1992
Helsing, 1985
Bent, 1962
Thompson and Ely, 1989
Robinson et al., 1999

Found on wet meadows.

35 - Acid seep - not mapped

Robinson et al., 1999

35 - Neutral seep - not mapped

Robinson et al., 1999

38 - Forb Playa Lake

[****] Habitat not present within model parameters.

Schwilling, 1969
Harrison, 1979
Kent, 1994
Buer and Buer, 1989
Seyffert, 1989
Davis, 1985
Helsing, 1985
Bent, 1962
[KS GAP]

Found on mud flats.

Found on wet meadows.

Map 30 m edge.

39 - Pondweed Aquatic

Wetland - not mapped

Schwilling, 1969
Harrison, 1979
Buer and Buer, 1989
Helsing, 1985
Thompson and Ely, 1989
[KS GAP]

Map 30 m edge.

70 - Weedy Marsh

Schwilling, 1969
Harrison, 1979
Buer and Buer, 1989
Helsinger, 1985
Bent, 1962
Thompson and Ely, 1989
Robinson et al., 1999
[KS GAP]

margins of lakes
Found on wet meadows.

Map 30 m edge.

82 - Water (Lake)

Kent, 1994
Seyffert, 1989
Helsinger, 1985
Robinson et al., 1999
[KS GAP]

Found on mud flats.
In mud.
human-made impoundments

Map 30 m edge.

82 - Water (River)


Harrison, 1979

canals, drainage ditches




Reference List

1. Bent, A. C. 1962. Life histories of North American shore birds. Dover Publications, New York, New York, USA.
2. Buer, M. and C. Buer. 1989. Black-necked Stilts in Stevens County. *Loon* 61(3):139.
3. Davis, W. M. 1985. Black-necked Stilts in Oklahoma during May and June. *Bulletin of the Oklahoma Ornithological Society* 18(2):13-14.
4. Harrison, H. H. 1979. A field guide to western birds' nests. Houghton Mifflin Company, Boston, Massachusetts, USA.
5. Helsinger, M. J. 1985. Black-necked Stilts nesting in Nebraska. *Nebraska Bird Review* 53(4):72.
6. Huser, B. 1992. Black-necked stilt in Woodbury County. *Iowa Bird Life* 62(3):84-85.
7. Johnsgard, P. A. 1979. Birds of the Great Plains. University of Nebraska Press, Lincoln, Nebraska, USA.
8. _____. 1981. The Plovers, Sandpipers, and Snipes of the world. University of Nebraska Press, Lincoln, Nebraska, USA.
9. Kent, T. H. 1994. Black-necked Stilt at Amana Lake. *Iowa Bird Life* 64(2):53.
10. Proescholdt, M. 1977. Black-necked Stilts in Washington County. *Iowa Bird Life* 67(3):98.
11. Robinson, J. A., J. M. Reed, J. P. Skorupa, and L. W. Oring. 1999. Black-necked Stilt. A. Poole and F. Gill, editors. *The Birds of North America*. No. 449. The Birds of North America, Inc., Philadelphia, Pennsylvania, USA.
12. Schwilling, M. D. 1969. Shorebirds: beauty among confusion. *Kansas Fish and Game* 26(4):15-16.
13. Seyffert, K. D. 1989. Breeding status of the Black-necked Stilt in the Texas panhandle. *Bulletin of the Oklahoma Ornithological Society* 22(2):10-13.
14. Thompson, M. C. and C. Ely. 1989. Birds in Kansas: Volume I. Public Education Series No. 11. University of Kansas Museum of Natural History, University Press of Kansas, Lawrence, Kansas, USA.


Black-necked Stilt



Kansas Breeding Bird Atlas

-  Confirmed Breeding
-  Probable Breeding
-  Possible Breeding

-  Breeding Bird Survey
-  Birds of Kansas, Horned Lark



 Range from Johnsgard, 1982
The Birds of Nebraska

 Kansas Biological Survey Data

Habitat

All shaded counties will be included in the distribution of the species.

Black-necked Stilt



* 30 m edge