

Habitat Model for Species: Black-billed Magpie

Alpha Code: BBMA Status: Resident

[Distribution Map](#)

[Habitat Map](#)

Landcover Category

0 - Comments

Bock and Lepthien, 1975

Reese and Kadlec, 1985

Knight and Fitzner, 1985

Trost, 1999

Winter et al., 2000

Johnsgard, 1998

Habitat Restrictions

Comments

Appear limited by two factors: increasing summer temperatures in the Southwest and increasing summer humidity and precipitation on the central
Nested in shelterbelt-riparian-orchard habitat more than expected and used juniper slopes less than Russian olive shelterbelts.
no information on range.
nesting on KRTCR (Smoky Hill) , grassland with numerous osage orange hedgerows.
ranges out into more arid environments wherever thickets of shrubs or small trees provide nest sites.

04 - Pecan Floodplain Forest

Trost, 1999

[Reviewer]

nests in thickets

Busby: habitat does not occur within the KS breeding range. (KS GAP - leave in as a potential habitat - expanding east.)

05 - Ash-Elm-Hackberry Floodplain Forest

Faanes, 1987

Trost, 1999

nests in thickets

06 - Cottonwood Floodplain Forest

Swenson, 1980

Erpino, 1968

Reese and Kadlec, 1985

Knight and Fitzner, 1985

Stone and Trost, 1991

Trost, 1999

nests in thickets

07 - Mixed Oak Floodplain

Trost, 1999

nests in thickets

08 - Bur Oak Floodplain Woodland

Trost, 1999

nests in thickets

09 - Mixed Oak Ravine

Trost, 1999

nests in thickets

11 - Cottonwood Floodplain Woodland

Swenson, 1980

Erpino, 1968

Reese and Kadlec, 1985

Knight and Fitzner, 1985

Stone and Trost, 1991

Trost, 1999

nests in thickets

12 - Sandsage Shrubland

Reese, 1982

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

14 - Willow Shrubland

Erpino, 1968
Reese and Kadlec, 1985
Knight and Fitzner, 1985
Stone and Trost, 1991
Trost, 1999

nests in thickets

18 - Sand Prairie

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

19 - Sandstone Prairie - not mapped

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

20 - Western Wheatgrass

Swenson, 1980
Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

22 - Mixed Prairie

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

24 - Alkali Sacaton Prairie

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

25 - Shortgrass Prairie

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

36 - Cottonwood Savanna - not mapped

Reese and Kadlec, 1985
Trost, 1999

nests in thickets

37 - Winterfat - Blue Grama Prairie - not mapped

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

40 - Non-native Grassland

Swenson, 1980
Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

44 - Cultivated Land

Prescott and Murphy, 1999
Reese, 1982
Swenson, 1980
Reese and Kadlec, 1985

52 - Evergreen Forest-Disturbed Land

Reese, 1982
Swenson, 1980

55 - Deciduous Woodland

Reese and Kadlec, 1985
Trost, 1999
Winter et al., 2000

nests in thickets
nests usually situated within an isolated Osage

60 - Mixed Prairie-Disturbed Land

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

71 - Weedy Upland

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

81 - Urban Areas

Dhindsa and Boag, 1992
Dhindsa and Boag, 1989

91 - Ozark Sandstone Glade / Prairie - not mapped

Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

92 - Ozark Limestone Glade - not mapped


Trost, 1999

habitat used for nesting and roosting if thickets, shelterbelts, or human structures are available and for foraging.

Reference List

1. Bock, C. E. and L. W. Lepthien. 1975. Distribution and abundance of the Black-billed Magpie (*Pica pica*) in North America. Great Basin Naturalist 35(3):269-272.
2. Dhindsa, M. S. and D. A. Boag. 1989. Nest height of Black-billed Magpies: is it determined by human disturbance or habitat type? Canadian Journal of Zoology 67:228-232.
3. _____. 1992. Patterns of nest site, territory, and mate switching in Black-billed Magpies (*Pica pica*). Canadian Journal of Zoology 70:633-640.
4. Erpino, M. J. 1968. Nest-related activities of Black-billed Magpies. Condor 70:154-165.
5. Faanes, C. A. 1987. Breeding birds and vegetation structure in western North Dakota wooded draws. Prairie Naturalist 19(4):209-220.
6. Johnsgard, P. A. 1998. The Birds of Nebraska. University of Nebraska-Lincoln, (available from author).
7. Knight, R. L. and R. E. Fitzner. 1985. Human disturbance and nest site placement in Black-billed Magpies. Journal of Field Ornithology 56(2):153-157.
8. Prescott, D. R. C. and A. J. Murphy. 1999. Bird populations of seeded grasslands in the aspen parkland of Alberta. Studies in Avian Biology 19:203-210.
9. Reese, K. P. and J. A. Kadlec. 1985. Influence of high density and parental age on the habitat selection and reproduction of Black-billed Magpies. Condor 87:96-105.
10. Reese, K. P. 1982. The influence of winter social behavior on the habitat selection and reproductive success of the Black-billed Magpie. Dissertation, Utah State University, Logan, Utah, USA.
11. Stone, E. and C. H. Trost. 1991. The effects of supplemental food on nest dispersion in Black-billed Magpies. Condor 93:452-454.
12. Swenson, J. E. 1980. Seasonal changes in habitat use and flock size by Black-billed Magpies along the lower Yellowstone River, Montana. Prairie Naturalist 12(3/4):105-109.
13. Trost, C. H. 1999. Black-billed Magpie. A. Poole and F. Gill, editors. The Birds of North America. No. 389. The Birds of North America, Inc., Philadelphia, Pennsylvania, USA.
14. Winter, S. L., R. E. Charlton, and J. F. Cully, Jr. 2000. A new county breeding record for Black-billed Magpies: symptom of habitat changes in a grassland landscape. Kansas Ornithological Society Bulletin 51(3):25-28.

Black-billed Magpie



Kansas Breeding Bird Atlas

Confirmed Breeding

Probable Breeding

Possible Breeding

Breeding Bird Survey

Birds of Kansas,
Horned Lark

Range from Johnsgard, 1998
The Birds of Nebraska

Habitat

All shaded counties will be included in the possible distribution of the species.

Black-billed Magpie

