

# Habitat Model for Species: Eastern Wood-pewee

Alpha Code: EWPE Status: Breeding

[Distribution Map](#)

[Habitat Map](#)

## Landcover Category

### **0 - Comments**

Wyatt and Stoneburner, 1978  
Johnston, 1947

### Habitat Restrictions

### **01 - Maple-Basswood Forest**

Stauffer and Best, 1980  
Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Dinsmore et al., 1984  
Trail, 1987  
Murphy, 1983  
Stewart, 1975  
Johnston, 1947

edge into forest in many places in Illinois = 20 feet.

Ambuel and Temple, 1983  
Bent, 1942

### **02 - Oak-Hickory Forest**

Stauffer and Best, 1980  
Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Bancroft, 1979  
Dinsmore et al., 1984  
Stewart, 1975  
Anderson and Shugart, 1974  
Kahl et al., 1985  
Shugart and James, 1973  
Gates and Gysel, 1978  
Ambuel and Temple, 1983  
Bent, 1942

### **03 - Post Oak-Blackjack Oak Forest**

Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Bancroft, 1979  
Dinsmore et al., 1984  
Stewart, 1975  
Bent, 1942

### **04 - Pecan Floodplain Forest**

Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Dinsmore et al., 1984  
Trail, 1987  
Stewart, 1975  
Fawver, 1947  
McCarty, 1996  
Gray, 1989  
Bent, 1942

### Comments

Use powerlines for foraging.  
Use fence for foraging.

Nest both in the interior and near the edge; the edges are extremely narrow and in many places just twenty feet inside the border. Also use edge for foraging.

Shows preference for open, mixed woods, free from underbrush.

Shows preference for open, mixed woods, free from underbrush.

Shows preference for open, mixed woods, free from underbrush.

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **05 - Ash-Elm-Hackberry Floodplain Forest**

Stauffer and Best, 1980  
Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Faanes, 1987  
Wyatt and Stoneburner, 1978  
Dinsmore et al., 1984  
Trail, 1987  
Murphy, 1983  
Stewart, 1975  
Fawver, 1947  
Zimmerman and Tatschl, 1975  
Obermeyer, 1992  
McCarty, 1996  
Gray, 1989  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **06 - Cottonwood Floodplain Forest**

Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Dinsmore et al., 1984  
Trail, 1987  
Murphy, 1983  
Stewart, 1975  
Kahl et al., 1985  
McCarty, 1996  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **07 - Mixed Oak Floodplain**

Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Bancroft, 1979  
Dinsmore et al., 1984  
Trail, 1987  
Stewart, 1975  
Zimmerman, 1993  
McCarty, 1996  
Gray, 1993  
Gray, 1989  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **08 - Bur Oak Floodplain Woodland**

Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Bancroft, 1979  
Dinsmore et al., 1984  
Stewart, 1975  
Zimmerman, 1993  
Johnston, 1947

edge into forest in many places in Illinois = 20 feet.

Nest both in the interior and near the edge; the edges are extremely narrow and in many places just twenty feet inside the border. Also use edge for foraging.

Kahl et al., 1985  
McCarty, 1996  
Gray, 1993  
Gray, 1989  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **09 - Mixed Oak Ravine**

Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Bancroft, 1979  
Dinsmore et al., 1984  
Stewart, 1975  
Zimmerman, 1993  
McCarty, 1996  
Gray, 1993  
Gray, 1989  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **10 - Post Oak-Blackjack Oak Woodland**

Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Bancroft, 1979  
Dinsmore et al., 1984  
Stewart, 1975  
Bent, 1942

Shows preference for open, mixed woods, free from underbrush.

## **11 - Cottonwood Floodplain Woodland**

Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Dinsmore et al., 1984  
Trail, 1987  
Murphy, 1983  
Stewart, 1975  
McCarty, 1996  
Gray, 1989  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **51 - Maple Floodplain Forest**

Stauffer and Best, 1980  
Stauffer and Best, 1986  
Baicich and Harrison, 1997  
Wyatt and Stoneburner, 1978  
Dinsmore et al., 1984  
Trail, 1987  
Murphy, 1983  
Stewart, 1975  
Fawver, 1947  
McCarty, 1996  
Bent, 1942

associated with forest clearings and edges

Shows preference for open, mixed woods, free from underbrush.

## **52 - Evergreen Forest-Disturbed Land**

Shugart and James, 1973

cedar glade

## **55 - Deciduous Woodland**

Baicich and Harrison, 1997  
Dinsmore et al., 1984  
Murphy, 1983  
Stewart, 1975  
Bent, 1942

Shows preference for open, mixed woods, free from underbrush.

## 81 - Urban Areas


Baicich and Harrison, 1997  
Bancroft, 1979  
McCarty, 1996

parkland, orchard, in scattered plantings, in shade  
Built nest in garden of summer cottage.  
urban shade trees, roadsides, woodlots, orchards


### Reference List

1. Ambuel, B. and S. A. Temple. 1983. Area-dependent changes in the bird communities and vegetation of southern Wisconsin forests. *Ecology* 64(5):1057-1068.
2. Anderson, S. H. and H. H. Shugart, Jr. 1974. Habitat selection of breeding birds in an east Tennessee deciduous forest. *Ecology* 55:828-837.
3. Baicich, P. J. and C. J. Harrison. 1997. A guide to the nests, eggs, and nestling of North American birds. Second edition. Academic Press, San Diego, California, USA.
4. Bancroft, J. 1979. Eastern Wood Pewees' long nestling period. *Blue Jay* 37(2):115.
5. Bent, A. C. 1942. Life histories of North American flycatchers, larks, swallows, and their allies. United States National Museum Bulletin. 179:83-91.
6. Dinsmore, J. J., K. H. Thomas, D. Koenig, C. P. Petersen, and M. D. Roosa. 1984. Iowa Birds. Iowa State University Press, Ames, Iowa, USA.
7. Faanes, C. A. 1987. Breeding birds and vegetation structure in western North Dakota wooded draws. *Prairie Naturalist* 19(4):209-220.
8. Fawver, B. J. 1947. Bird population of an Illinois floodplain forest. *Transactions of the Illinois State Academy of Science* 40:178-189.
9. Gates, J. E. and L. W. Gysel. 1978. Avian nest dispersion and fledging success in field-forest ecotones. *Ecology* 59(5):871-883.
10. Gray, L. J. 1989. Correlation between insects and birds in tallgrass prairie riparian habitats. Pages 263-265 in T. B. Bragg and J. Stubbendieck, editors. *Proceedings of the Eleventh North American Prairie Conference*. University of Nebraska Printing, Lincoln, Nebraska, USA.
11. \_\_\_\_\_. 1993. Response of insectivorous birds to emerging aquatic insects in riparian habitats of a tallgrass prairie stream. *American Midland Naturalist* 129:288-300.
12. Johnston, V. R. 1947. Breeding birds of the forest edge in Illinois. *Condor* 49(2):45-53.
13. Kahl, R. B., T. S. Baskett, J. A. Ellis, and J. N. Burroughs. 1985. Characteristics of summer habitats of selected nongame birds in Missouri. University of Missouri Agriculture Experiment Station Research Bulletin 1056. University of Missouri, Columbia, Missouri, USA.
14. McCarty, J. P. 1996. Eastern Wood-pewee. A. Poole and F. Gill, editors. *The Birds of North America*. No. 245. The American Ornithologists' Union and The Academy of Natural Sciences, Philadelphia, Pennsylvania, USA.
15. Murphy, M. T. 1983. Nest success and nesting habits of Eastern Kingbirds and other flycatchers. *Condor* 85:208-219.
16. Obermeyer, B. 1992. Effect of logging on breeding bird diversity in riparian forests on Fall River Wildlife Area. *Kansas Ornithological Society Bulletin* 43(3):21-27.
17. Shugart, H. H., Jr. and D. James. 1973. Ecological succession of breeding bird populations in northwestern Arkansas. *Auk* 90:62-77.
18. Stauffer, D. F. and L. B. Best. 1980. Habitat selection by birds of riparian communities: evaluating effects of habitat alterations. *Journal of Wildlife Management* 44(1):1-15.
19. \_\_\_\_\_. 1986. Nest-site characteristics of open-nesting birds in riparian habitats in Iowa. *Wilson Bulletin* 98(2):231-242.
20. Stewart, R. E. 1975. *Breeding birds of North Dakota*. Harrison Smith, Lund Press, Minneapolis, Minnesota, USA.
21. Trail, P. R. 1987. Nest destruction by the Eastern Wood-Pewee. *Chat* 51(3):72-73.
22. Wyatt, R. and A. H. Stoneburner. 1978. Feeding and nesting behavior of the Eastern Wood Pewee. *Chat* 42(3):59.
23. Zimmerman, J. L. 1993. *The Birds of Konza*. University Press of Kansas, Lawrence, Kansas, USA.
24. Zimmerman, J. L. and J. L. Tatschl. 1975. Floodplain birds of Weston Bend, Missouri River. *Wilson Bulletin* 87(2):196-208.

# Eastern Wood-pewee





## Kansas Breeding Bird Atlas


 Confirmed Breeding

 Probable Breeding

 Possible Breeding

 Breeding Bird Survey

 *Birds of Kansas,*  
*Horned Lark*

 Range from Johnsgard, 1998  
*The Birds of Nebraska*

## Habitat

All shaded counties will be included in the possible distribution of the species.

# Eastern Wood-pewee

