

Habitat Model for Species: Sedge Wren

Alpha Code: SEWR Status: Breeding

[Distribution Map](#)

[Habitat Map](#)

Landcover Category

0 - Comments

[KS GAP]

Habitat Restrictions

Frawley and Best, 1991

17 - Tallgrass Prairie

Zimmerman, 1993

Herkert, 1994

Bedell, 1996

Cink and Lowther, 1989

19 - Sandstone Prairie - not mapped

Tordoff and Young, 1951

22 - Mixed Prairie

Renken and Dinsmore, 1987

Tordoff and Young, 1951

Higgins et al., 1984

28 - Spikerush Playa Lake

Johnsgard, 1998

Gibbs and Melvin, 1992

30 - Low or Wet Prairie

Lingle and Bedell, 1989

Manci and Rusch, 1988

Bedell, 1996

Johnsgard, 1998

Burns, 1982

Gibbs and Melvin, 1992

Cink and Lowther, 1989

31 - Freshwater Marsh

Johnsgard, 1998

Gibbs and Melvin, 1992

32 - Bulrush Marsh

Johnsgard, 1998

Gibbs and Melvin, 1992

33 - Cattail Marsh

Johnsgard, 1998

Gibbs and Melvin, 1992

34 - Fen - not mapped

Johnsgard, 1998

Burns, 1982

Gibbs and Melvin, 1992

35 - Acid seep - not mapped

Lingle and Bedell, 1989

Manci and Rusch, 1988

Johnsgard, 1998

Burns, 1982

Gibbs and Melvin, 1992

Comments

generalized from papers: only uses upland grasslands during wet years when grass production is high. Upland grass sites are probably near water or a floodplain, but no clear distance from water was noted in the literature. (lowland grasses are Cultivated Land (44) - Suboptimal habitat; Do not map. Never recolonized after first crop.

not present during drought years in late summer.

Nested in Aug. after excessive summer rains.

Nested in Aug. after excessive summer rains. newly sown

absence of standing water preferred

absence of standing water preferred

absence of standing water preferred

absence of standing water preferred

35 - Neutral seep - not mapped

Lingle and Bedell, 1989
Johnsgard, 1998
Gibbs and Melvin, 1992

40 - Non-native Grassland

Bryan and Best, 1991
Prescott and Murphy, 1999
Temple et al., 1999
Johnsgard, 1998
Gibbs and Melvin, 1992

hayfields
hayfields

41 - CRP

Prescott and Murphy, 1999
Johnson and Schwartz, 1993
Johnson and Igl, 1995
Patterson and Best, 1996
Bedell, 1996
Johnsgard, 1998
Gibbs and Melvin, 1992

70 - Weedy Marsh

Johnsgard, 1998
Gibbs and Melvin, 1992

absence of standing water preferred

71 - Weedy Upland


Zimmerman and Tatschl, 1975

in a floodplain.

Reference List

1. Bedell, P. A. 1996. Evidence of dual breeding ranges for the Sedge Wren in the central Great Plains. *Wilson Bulletin* 108(1):115-122.
2. Bryan, G. G. and L. B. Best. 1991. Bird abundance and species richness in grassed waterways in Iowa rowcrop fields. *American Midland Naturalist* 126:90-102.
3. Burns, J. T. 1982. Nests, territories, and reproduction of Sedge Wren (*Cistothorus platensis*). *Wilson Bulletin* 94(3):338-349.
4. Cink, C. L. and P. E. Lowther. 1989. Breeding bird populations of a floodplain tallgrass prairie in Kansas. Pages 259-262 *in* T. B. Bragg and J. Stubbendieck, editors. *Prairie Pioneers: Ecology, History and Culture*. Proceedings of the Eleventh North American Prairie Conference.
5. Frawley, B. J. and L. B. Best. 1991. Effects of mowing on breeding bird abundance and species composition in alfalfa fields. *Wildlife Society Bulletin* 19:135-142.
6. Gibbs, J. P. and S. M. Melvin. 1992. Sedge Wren. Pages 191-209 *in* K. J. Schneider and D. M. Pence, editors. *Migratory nongame birds of management concern in the Northeast*. U.S. Department of the Interior, Fish and Wildlife Service, Newton Corner, Massachusetts, USA.
7. Herkert, J. R. 1994. The effects of habitat fragmentation on Midwestern grassland bird communities. *Ecological Applications* 4(3):461-471.
8. Higgins, K. F., T. W. Arnold, and R. M. Barta. 1984. Breeding bird community colonization of sown stands of native grasses in North Dakota. *Prairie Naturalist* 16(4):177-182.
9. Johnsgard, P. A. 1998. *The Birds of Nebraska*. University of Nebraska-Lincoln, (available from author).
10. Johnson, D. H. and L. D. Igl. 1995. Contributions of the Conservation Reserve Program to populations of breeding birds in North Dakota. *Wilson Bulletin* 107(4):709-718.
11. Johnson, D. H. and M. D. Schwartz. 1993. The Conservation Reserve Program: habitat for grassland birds. *Great Plains Research* 3(August):273-295.
12. Lingle, G. R. and P. A. Bedell. 1989. Nesting ecology of sedge wrens in Hall County, Nebraska. *Nebraska Bird Review* 57(2):47-49.
13. Mancini, K. M. and D. H. Rusch. 1988. Indices to distribution and abundance of some inconspicuous waterbirds on Horicon Marsh. *Journal of Field Ornithology* 59(1):67-75.
14. Patterson, M. P. and L. B. Best. 1996. Bird abundance and nesting success in Iowa CRP fields: The importance of vegetation structure and composition. *American Midland Naturalist* 135:135-167.
15. Prescott, D. R. C. and A. J. Murphy. 1999. Bird populations of seeded grasslands in the aspen parkland of Alberta. *Studies in Avian Biology* 19:203-210.
16. Renken, R. B. and J. J. Dinsmore. 1987. Nongame bird communities on managed grasslands in North Dakota. *Canadian Field-Naturalist* 101(4):551-557.
17. Temple, S. A., B. M. Fevold, L. K. Paine, D. J. Undersander, and D. W. Sample. 1999. Nesting birds and grazing cattle: accommodating both on Midwestern pastures. *Studies in Avian Biology* 19:196-202.
18. Tordoff, H. B. and G. P. Young. 1951. Short-billed Marsh Wren breeding in Kansas. *Wilson Bulletin* 63(1):44-45.
19. Zimmerman, J. L. 1993. *The Birds of Konza*. University Press of Kansas, Lawrence, Kansas, USA.
20. Zimmerman, J. L. and J. L. Tatschl. 1975. Floodplain birds of Weston Bend, Missouri River. *Wilson Bulletin* 87(2):196-208.

Sedge Wren




Kansas Breeding Bird Atlas

 Confirmed Breeding

 Probable Breeding

 Possible Breeding

 Breeding Bird Survey

 Birds of Kansas,
Horned Lark

 Range from Johnson, 1882
The Birds of Nebraska

Sedge Wren

