

Habitat Model for Species: Kentucky Warbler

Alpha Code: KEWA Status: Breeding

[Distribution Map](#)

[Habitat Map](#)

Landcover Category

0 - Comments

Whitcomb et al., 1981 Mostly used >70 ha plots, also found in 6-14 ha plots.
Robbins et al., 1989 suggested minimum area = 17 ha
Anderson and Robbins, 1981 found in 8-19 ha woodlands
James, 1971

Habitat Restrictions

Comments

found in shrubs and low trees based on principal component analysis.

01 - Maple-Basswood Forest

Johnston, 1947
Jesse, 1991

02 - Oak-Hickory Forest

Wenny et al., 1993
Gibbs, 1988
Jesse, 1991
Anderson and Shugart, 1974
Shugart and James, 1973
James and Faaborg, 1990

preferred bottomland

03 - Post Oak-Blackjack Oak Forest

Shackford, 1992

04 - Pecan Floodplain Forest

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
McDonald, 1998
Bent, 1953

05 - Ash-Elm-Hackberry Floodplain Forest

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
Zimmerman and Tatschl, 1975
McDonald, 1998
Bent, 1953

06 - Cottonwood Floodplain Forest

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
Little, 1994
Kahl et al., 1985
McDonald, 1998
Bent, 1953

07 - Mixed Oak Floodplain

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
McDonald, 1998
Bent, 1953

08 - Bur Oak Floodplain

Woodland

Baicich and Harrison, 1997
Chapman, 1914
Johnston, 1947
Dinsmore et al., 1984
Newell, 1980
Kahl et al., 1985
McDonald, 1998
Bent, 1953

09 - Mixed Oak Ravine

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
McDonald, 1998
Bent, 1953

10 - Post Oak-Blackjack Oak

Woodland

Shackford, 1992

11 - Cottonwood Floodplain

Woodland

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
Little, 1994
McDonald, 1998
Bent, 1953

50 - Deciduous Forest-Mined

Land

Baicich and Harrison, 1997
Dinsmore et al., 1984

51 - Maple Floodplain Forest

Baicich and Harrison, 1997
Chapman, 1914
Dinsmore et al., 1984
McDonald, 1998
Bent, 1953


Reference List

1. Anderson, S. H. and C. S. Robbins. 1981. Habitat size and bird community management. Transactions of the North American Wildlife and Natural Resources Conference 46:511-520.
2. Anderson, S. H. and H. H. Shugart, Jr. 1974. Habitat selection of breeding birds in an east Tennessee deciduous forest. Ecology 55:828-837.
3. Baicich, P. J. and C. J. Harrison. 1997. A guide to the nests, eggs, and nestling of North American birds. Second edition. Academic Press, San Diego, California, USA.
4. Bent, A. C. 1953. Life histories of North American wood warblers. Kentucky Warbler. United States Government Printing Office, Washington, D.C., USA.
5. Chapman, F. M. 1914. The Warblers of North America. Second edition. D. Appleton & Company, New York, New York, USA.
6. Dinsmore, J. J., K. H. Thomas, D. Koenig, C. P. Petersen, and M. D. Roosa. 1984. Iowa Birds. Iowa State University Press, Ames, Iowa, USA.
7. Gibbs, J. P. 1988. Forest fragmentation, mating success, and the singing behavior of the Ovenbird (*Seiurus aurocapillus*) and Kentucky Warbler (*Oporornis formosus*) in central Missouri. Thesis, University of Missouri, Columbia, Missouri, USA.
8. James, F. C. 1971. Ordination of habitat relationships among breeding birds. Wilson Bulletin 83(3):215-236.
9. James, P. G. and J. Faaborg. 1990. Estimating the viability of Ovenbird and Kentucky Warbler populations in forest fragments. Conservation Biology 4(2):193-196.
10. Jesse, T. W. 1991. Effects of forest fragmentation and structure on the nesting success of the Kentucky Warbler. Thesis, University of Illinois, Urbana, Illinois, USA.
11. Johnston, V. R. 1947. Breeding birds of the forest edge in Illinois. Condor 49(2):45-53.
12. Kahl, R. B., T. S. Baskett, J. A. Ellis, and J. N. Burroughs. 1985. Characteristics of summer habitats of selected nongame birds in Missouri. University of Missouri Agriculture Experiment Station Research Bulletin 1056. University of Missouri,

Columbia, Missouri, USA.


13. Little, J. 1994. Kentucky Warbler in Minnehaha County. *South Dakota Bird Notes* 46(2):35-36.
14. McDonald, M. V. 1998. Kentucky Warbler. A. Poole and F. Gill, editors. *The Birds of North America*. no. 324. The Birds of North America, Inc., Philadelphia, Pennsylvania, USA.
15. Newell, J. G. 1980. Breeding of Kentucky Warbler in Red Rock Canyon, Caddo County, central Oklahoma. *Bulletin of the Oklahoma Ornithological Society* 13(2):15-16.
16. Robbins, C. S., D. K. Dawson, and B. A. Dowell. 1989. Habitat area requirements of breeding forest birds of the Middle Atlantic States. *Wildlife Monographs* 103:1-34.
17. Shackford, J. S. 1992. Kentucky Warbler nest in Oklahoma County, Oklahoma. *Bulletin of the Oklahoma Ornithological Society* 25(1):5-6.
18. Shugart, H. H., Jr. and D. James. 1973. Ecological succession of breeding bird populations in northwestern Arkansas. *Auk* 90:62-77.
19. Wenny, D. G., R. L. Clawson, J. Faaborg, and S. L. Sheriff. 1993. Population density, habitat selection and minimum area requirements of three forest-interior warblers in central Missouri. *Condor* 95:968-979.
20. Whitcomb, R. F., C. S. Robbins, J. F. Lynch, B. L. Whitcomb, M. K. Klimkiewicz, and D. Bystrak. 1981. Effects of forest fragmentation on avifauna of the Eastern Deciduous Forest. Pages 126-205 *in* R. L. Burgess and D. M. Sharpe, editors. *Forest island dynamics in man-dominated landscapes*. Springer-Verlag, New York, New York, USA.
21. Zimmerman, J. L. and J. L. Tatschl. 1975. Floodplain birds of Weston Bend, Missouri River. *Wilson Bulletin* 87(2):196-208.

Kentucky Warbler




Kentucky Breeding Bird Atlas

 Confirmed Breeding

 Probable Breeding

 Possible Breeding

 Breeding Bird Survey

 Birds of Kansas,
Horned Lark

 Range from Johnsgard, 1882
The Birds of Nebraska

All shaded counties will be included in the distribution of the species.

Kentucky Warbler

