

Habitat Model for Species: Yellow-faced Pocket Gopher

Cratogeomys castanops

[Distribution Map](#) [Habitat Map](#)

Landcover Category

17 - Tallgrass Prairie

Davidow-Henry et al., 1989

association chosen for sandy loams along river bottoms

18 - Sand Prairie

Birney et al., 1970

association chosen based on deep sandy, sandy loam soils, general vegetation and known distribution in Kansas

22 - Mixed Prairie

Birney et al., 1970

association chosen based on deep loam soils with calcareous soils on slopes, general vegetation, and known distribution in Kansas

25 - Shortgrass Prairie

Birney et al., 1970

association chosen based on deep loam soils, general vegetation, and known distribution in Kansas


Davidow-Henry et al., 1989

association chosen for deep loams and sandy loams

Reference List

1. Birney, E. C., Jr. J. K. Jones, and D. M. Mortimer. 1970. The yellow-faced pocket gopher, *Pappogeomys castanops*, in Kansas. Transactions of the Kansas Academy of Science 73:368-375.
2. Davidow-Henry, B. R., Jr. J. K. Jones, and R. R. Hollander. 1989. *Cratogeomys castanops*. Mammalian Species 338:1-6.

Yellow-faced Pocket Gopher



Recorded presence
 No records

Recorded distribution include specimen records and observations collected during 1941-2000 from University of Kansas Museum of Natural History, Stenberg Museum of Natural History, a large to mid-sized mammal survey conducted by regional biologists and conservation officers from the Kansas Department of Wildlife and Parks, and personal observations from professional mammalogists.

[Habitats](#)

[Habitat Map](#)

Yellow-faced Pocket Gopher

