

Habitat Model for Species: Broadhead Skink

Eumeces laticeps

[Distribution Map](#)
[Habitat Map](#)

Landcover Category

0 - Comments

Clarke, 1965

Martof, 1956
Legler, 1960
[#KS GAP]
[#Reviewer]

Habitat Restrictions

Comments

Restricted to woodlands, where it lives on the ground and up in the trees.

No useful habitat information

Distribution only

Add Linn County from KBS data (1994).

Fitch: Not present on Reservation. To me Post Oak-Blackjack Oak Forest gives a much too xeric impression of its habitat. I would define its habitat as "swamp forest"; probably Ash-Elm-Hackberry Floodplain Forest or Maple Floodplain Forest.

01 - Maple-Basswood Forest

[#Reviewer]

Rundquist: add Fitch: add

02 - Oak-Hickory Forest

[#Reviewer]

Rundquist: add

03 - Post Oak-Blackjack Oak Forest

Webb, 1970

05 - Ash-Elm-Hackberry Floodplain Forest

[#Reviewer]

Fitch: add

09 - Mixed Oak Ravine Woodland

[#Reviewer]

Rundquist: add

10 - Post Oak-Blackjack Oak Woodland

Webb, 1970

50 - Deciduous Forest-Mined Land

[#Reviewer]

Rundquist: add

55 - Deciduous Woodland


[#*****] Habitat not present within model parameters.
[#KS GAP]


based on description on NatureServe.

Reference List

1. Clarke, R. F. 1965. Lizards in Kansas. Kansas School Naturalist 11(4):1-16.
2. Legler, J. M. 1960. Distributional records of amphibians and reptiles in Kansas. Transactions of the Kansas Academy of Science 63(1):40-43.
3. Martof, B. 1956. A contribution to the biology of the skink, *Eumeces laticeps*. Herpetologica 12:111-114.
4. Webb, R. G. 1970. Reptiles of Oklahoma. University of Oklahoma Press, Norman, Oklahoma, USA.

Broadhead Skink



 Range from Collins, 1993

Broadhead Skink

