

Habitat Model for Species: Northern Fence Lizard

Sceloporus undulatus hyacinthinus

[Distribution Map](#)
[Habitat Map](#)

Landcover Category

0 - Comments

Collins, 1993

Heger, 1991

Jones and Ballinger, 1987

Grover, 1996

Ballinger et al., 1990

Fleharty and Ittner, 1967

Webb, 1970

Carpenter, 1960

Clarke, 1965

Ballinger and Jones, 1985

Fleharty and Johnson, 1975

Sparks et al., 1999

Burt and Hoyle, 1935

Legler, 1960

Hall and Smith, 1947

Marr, 1944

Platt, 1985

Fleharty and Johnson, 1974

Ballinger and Watts, 1995

[#KS GAP]

[#Reviewer]

Habitat Restrictions

Comments

"low, sandy regions"; too vague for modeling to landcover attributes.

Distribution only

See Keeler et al. (paper 1570) for habitat description for study site.

Study conducted in Utah, no useful habitat information.

No habitat description, see Keeler et al. (paper 1570) for habitat.

Distribution only

No useful habitat information

No useful habitat information

Occurs on trees, fences, wood piles, and sides of rustic buildings. Particularly, it is found on pine trees.

No habitat description, see Keeler et al. (paper 1570) for habitat.

Duplicate paper to paper 680

Distribution only

Occur in sandy or rocky areas, usually near thickets of shrubbery (pg. 200, paper 220).

Distribution only

Distribution only

distribution only

No usable habitat information

Only one specimen captured in the study. Not used for modeling.

No habitat description, see Keeler et al. (paper 1570) for habitat.

This model was originally a copy of the Northern Prairie Lizard because often the papers just mention the species and not the subspecies. It has been modified by

Platt: Most of these references are studies of the Northern Prairie Lizard.

01 - Maple-Basswood Forest

Collins, 1993

based on "dry, open forests"

02 - Oak-Hickory Forest

Collins, 1993

Brumwell, 1951

based on "dry, open forests"

03 - Post Oak-Blackjack Oak Forest

Collins, 1993


based on "dry, open forests"


Reference List

1. Ballinger, R. E. and S. M. Jones. 1985. Ecological disturbance in a sandhills prairie: impact and importance to the lizard community on Arapaho Prairie in western Nebraska. *Prairie Naturalist* 17(2):91-100.
2. Ballinger, R. E., S. M. Jones, and J. W. Niefeldt. 1990. Patterns of resource use in a lizard community in the Nebraska sandhill prairie. *Prairie Naturalist* 22(2):75-86.
3. Ballinger, R. E. and K. S. Watts. 1995. Path to extinction: impact of vegetational change on lizard populations on Arapaho Prairie in the Nebraska Sandhills. *American Midland Naturalist* 143:413-417.
4. Brumwell, M. J. 1951. An ecological survey of Fort Leavenworth Military Reservation. *American Midland Naturalist* 45(1):187-231.
5. Burt, C. E. and W. L. Hoyle. 1935. Additional records of the reptiles of the central prairie region of the United States. *Transactions of the Kansas Academy of Science* 37:193-216.
6. Carpenter, C. C. 1960. Reproduction in Oklahoma *Sceloporus* and *Cnemidophorus*. *Herpetologica* 16:175-182.
7. Clarke, R. F. 1965. Lizards in Kansas. *Kansas School Naturalist* 11(4):1-16.
8. Collins, J. T. 1993. Amphibians and reptiles in Kansas. University Press of Kansas, Lawrence, Kansas, USA.
9. Fleharty, E. D. and D. R. Ittner. 1967. Additional locality records for some Kansas Herptiles. *Southwestern Naturalist* 12(2):199-200.
10. Fleharty, E. D. and J. D. Johnson. 1974. Distributional records from the Chautauqua Hills of southeastern Kansas. *Transactions of the Kansas Academy of Science* 77(1):63-67.

11. _____. 1975. Distributional records of herptiles from the Chautauqua Hills of southeastern Kansas. *Transactions of the Kansas Academy of Science* 77(1):65-67.
12. Grover, M. C. 1996. Microhabitat use and thermal ecology of two narrowly sympatric *Sceloporus* (Phrynosomatidae) lizards. *Journal of Herpetology* 30(2):152-160.
13. Hall, H. H. and H. M. Smith. 1947. Selected records of reptiles and amphibians from southeast Kansas. *Transactions of the Kansas Academy of Science* 49(4):447-454.
14. Heger, N. 1991. *Sceloporus undulatus* rafting. *Herpetological Review* 22(2):59-60.
15. Jones, S. M. and R. E. Ballinger. 1987. Comparative life histories of *Holbrookia maculata* and *Sceloporus undulatus* in western Nebraska. *Ecology* 68(6):1828-1838.
16. Legler, J. M. 1960. Distributional records of amphibians and reptiles in Kansas. *Transactions of the Kansas Academy of Science* 63(1):40-43.
17. Marr, J. C. 1944. Notes on amphibians and reptiles from the central United States. *American Midland Naturalist* 32:478-490.
18. Platt, D. R. 1985. Population trends and habitat assessment of snakes and lizards in south central Kansas. Contract # 80 Final report. Kansas Fish and Game Commission, Pratt, Kansas, USA.
19. Sparks, D. W., A. G. Burr, M. N. Bass, and G. A. Liggett. 1999. New county distribution records of amphibians and reptiles from southwestern Kansas. *Herpetological Review* 30(2):120-121.
20. Webb, R. G. 1970. *Reptiles of Oklahoma*. University of Oklahoma Press, Norman, Oklahoma, USA.

Northern Fence Lizard



 Range from Collins, 1993

Northern Fence Lizard

