

Habitat Model for Species: Southern Coal Skink

Eumeces anthracinus pluvialis

[Distribution Map](#)
[Habitat Map](#)

Landcover Category

0 - Comments

Fleharty and Ittner, 1967
Clarke, 1965

Gehlbach and Collette, 1959
Trowbridge, 1937
Fleharty and Johnson, 1974

Habitat Restrictions

Comments

Distribution only
Usually found on wooded hillsides, usually near water, under rocks or logs.
Distribution in Nebraska only.
No useful habitat information
Distribution only, no useful habitat information.

02 - Oak-Hickory Forest

Gloyd, 1928

03 - Post Oak-Blackjack Oak Forest

Webb, 1970

05 - Ash-Elm-Hackberry Floodplain Forest

Gloyd, 1928

08 - Bur Oak Floodplain Woodland

Gloyd, 1928

09 - Mixed Oak Ravine Woodland

[#Reviewer]

Rundquist


10 - Post Oak-Blackjack Oak Woodland


Webb, 1970

Reference List

1. Clarke, R. F. 1965. Lizards in Kansas. Kansas School Naturalist 11(4):1-16.
2. Fleharty, E. D. and D. R. Ittner. 1967. Additional locality records for some Kansas Herptiles. Southwestern Naturalist 12(2):199-200.
3. Fleharty, E. D. and J. D. Johnson. 1974. Distributional records from the Chautauqua Hills of southeastern Kansas. Transactions of the Kansas Academy of Science 77(1):63-67.
4. Gehlbach, F. R. and B. B. Collette. 1959. Distributional and biological notes on the Nebraska herpetofauna. Herpetologica 15:141-143.
5. Gloyd, H. K. 1928. The amphibians and reptiles of Franklin County, Kansas. Transactions of the Kansas Academy of Science 31:115-141.
6. Trowbridge, A. H. 1937. Ecological observations on amphibians and reptiles collected in southeastern Oklahoma during the summer of 1934. American Midland Naturalist 18(2):285-303.
7. Webb, R. G. 1970. Reptiles of Oklahoma. University of Oklahoma Press, Norman, Oklahoma, USA.

Southern Coal Skink



 Range from Collins, 1993

Southern Coal Skink

