

Habitat Model for Species: Southern Prairie Skink

Eumeces septentrionalis obtusirostris

[Distribution Map](#)
[Habitat Map](#)

Landcover Category

0 - Comments

Fleharty and Ittner, 1967
Webb, 1970
Clarke, 1965

Stains and Ozment, 1962
Rundquist et al., 1978
Burt and Hoyle, 1935
Clarke, 1956
Clarke, 1955
Breckenridge, 1943
Fitch, 1958
[#KS GAP]

[#Reviewer]

Habitat Restrictions

Comments

Distribution only
No useful habitat information.
Most frequently are found in open areas, particularly in rocky places on grassy prairie hills.
Distribution only
Distribution only
Distribution only
Distribution only
No useful habitat information
No useful habitat information
No useful habitat information
The draft model for Northern and Southern Prairie Skinks were done together as one model.
Rundquist: does not occur in Tallgrass Prairie.

12 - Sandsage Shrubland

[#Reviewer]

Rundquist: add

18 - Sand Prairie

[#Reviewer]

Rundquist: add

22 - Mixed Prairie

[#Reviewer]

Rundquist: add

43 - Rock Outcrop/Bluff/Cliff - not mapped

[#Reviewer]

Rundquist: add

Reference List

1. Breckenridge, W. J. 1943. The life history of the black-banded skink *Eumeces septentrionalis* (Baird). American Midland Naturalist 29:591-601.
2. Burt, C. E. and W. L. Hoyle. 1935. Additional records of the reptiles of the central prairie region of the United States. Transactions of the Kansas Academy of Science 37:193-216.
3. Clarke, R. 1955. Observations on *Eumeces s septentrionalis* in Kansas. Herpetologica 11(3):161-164.
4. Clarke, R. F. 1956. Distributional notes on some amphibians and reptiles of Kansas. Transactions of the Kansas Academy of Science 59(2):213-219.
5. _____. 1965. Lizards in Kansas. Kansas School Naturalist 11(4):1-16.
6. Fitch, H. S. 1958. Home ranges, territories, and seasonal movements of vertebrates of the Natural History Museum. University of Kansas Publications, Museum of Natural History 11(3):63-326.
7. Fleharty, E. D. and D. R. Ittner. 1967. Additional locality records for some Kansas Herptiles. Southwestern Naturalist 12(2):199-200.
8. Rundquist, E. M., E. Stegall, D. Grow, and P. Gray. 1978. New herpetological records from Kansas. Transactions of the Kansas Academy of Science 81(1):73-77.
9. Stains, H. J. and J. Ozment. 1962. A record of the brown skink (*Scincella laterale*) and prairie skink (*Eumeces septentrionalis*) from Barber County, Kansas. Transactions of the Kansas Academy of Science 65(2):143.
10. Webb, R. G. 1970. Reptiles of Oklahoma. University of Oklahoma Press, Norman, Oklahoma, USA.

Southern Prairie Skink

