

Exploring Management Options for Reducing Phosphorus Loss

Nathan Nelson

Co-PIs: Kraig Roozeboom, Gerard Kluitenberg, Peter Tomlinson, and Jeff Williams

Graduate Students: David Abel and Elliott Carver





Sig Collins

Farmer on the Cheney Lake Watershed Citizen's Management Committee



A toxic algal bloom caused a three-day ban on water usage for a half-million residents in SE Michigan and Toledo.

Experts say it's a 'wake-up call.'

AINTED



VOL. 34 | ISSUE 44 | August 13-19, 2014

Cheney Lake, Kansas

Milford Reservoir, Kansas

Fall surface-broadcast P fertilizer




What management options will reduce P loss?

- Can we minimize P loss with surface broadcast fertilizer?
- Will planting a fall cover crop reduce P loss?







Agricultural systems require time to fully respond to treatments




Fertilizer placement effects on total P loss in runoff water




Fertilizer placement effects on dissolved P concentration in runoff water




Cover crop effects on sediment loss



Cover crop effects on total P loss



Cover crop effects on dissolved P loss




Related work - P loss from cover crops

- Species
- Termination methods
- Termination timing
- Fertility



Collaborative efforts: On-Farm Research



Remaining plans for the project



Thank you to our funding sources



Department of Agronomy





United States Department of Agriculture Natural Resources Conservation Service



K A N S A S COMMISSION

