Forklift Operator Evaluation Form Instructions: Use this checklist during the field session to evaluate operator proficiency. It can also be used for period evaluation to ensure that operators are continuing to operate forklifts properly.

Operator Name		Evaluator Name				
Date of Evaluation	Equipment Oper	rated				

OPERATOR BEHAVIORS		RA ⁻	TING		COMMENTS
Pre-use Inspection					
1. Follow Operator's Daily Checklist.	GOOD	FAIR	POOR	N/A	
2. Look for Damage.	GOOD	FAIR	POOR	N/A	
3. Document all findings on the checklist		FAIR	POOR	N/A	
Picking Up The Load					
1. Square up on the center of the load.	GOOD	FAIR	POOR	N/A	
2. Stop with the fork tips about 1 foot from the load.	GOOD	FAIR	POOR	N/A	
3. Clear personnel from the area near the load.	GOOD	FAIR	POOR	N/A	
4. Level the forks; then slowly drive forward until the load contacts the carriage.	GOOD	FAIR	POOR	N/A	
5. Lift the load carefully and smoothly until it is clear.	GOOD	FAIR	POOR	N/A	
6. Tilt the mast back slightly to stabilize the load.	GOOD	FAIR	POOR	N/A	
7. Look over both shoulders.	GOOD	FAIR	POOR	N/A	
8. After out and stopped, lower the load to travel height.	GOOD	FAIR	POOR	N/A	
Traveling					
1. Do not raise or lower the load and forks while traveling.	GOOD	FAIR	POOR	N/A	
2. Maintain a safe speed.	GOOD	FAIR	POOR	N/A	
3. Observe all traffic rules, warning signs, floor load limits and overhead clearances.	GOOD	FAIR	POOR	N/A	
4. Keep arms and legs inside the forklift.	GOOD	FAIR	POOR	N/A	
5. Follow other vehicles at safe distance.	GOOD	FAIR	POOR	N/A	
6. Slow down when cornering.	GOOD	FAIR	POOR	N/A	
7. Use the horn to alert others.	GOOD	FAIR	POOR	N/A	

8. Travel with the load facing uphill while on a ramp or incline.	GOOD	FAIR	POOR	N/A	
9. Stop smoothly.	GOOD	FAIR	POOR	N/A	
Putting Down A Load	0000	TAIN	1001	N/A	COMMENTS
1. Make sure there is sufficient clearance for the load.	GOOD	FAIR	POOR	N/A	
2. Clear personnel from the area near the load.	GOOD	FAIR	POOR	N/A	
3. Square up to the location; then stop about 1 foot away.		FAIR	POOR	N/A	
 Raise the load to placement level. 		FAIR	POOR	N/A	
5. Move slowly forward.	GOOD	FAIR	POOR	N/A	
6. If the load is on a pallet, lower it into position and lower the forks further.		FAIR	POOR	N/A	
7. Look over both shoulders before backing out.	GOOD	FAIR	POOR	N/A	
8. Back straight out until the forks have cleared.	GOOD	FAIR	POOR	N/A	
9. Lower the forks to traveling position.	GOOD	FAIR	POOR	N/A	
Parking					
1. Fully lower the forks.	GOOD	FAIR	POOR	N/A	
2. Neutralize the controls.	GOOD	FAIR	POOR	N/A	
3. Set the brakes.	GOOD	FAIR	POOR	N/A	
4. Turn off the power.	GOOD	FAIR	POOR	N/A	
5. If parked on an incline, block the wheels.	GOOD	FAIR	POOR	N/A	
6. Park only in authorized areas.	GOOD	FAIR	POOR	N/A	
Fueling And Battery Recharging					
1. Engine off.	GOOD	FAIR	POOR	N/A	
2. Fire extinguisher nearby.	GOOD	FAIR	POOR	N/A	
3. Proper personal protective equipment worn.	GOOD	FAIR	POOR	N/A	
 Safe fueling and battery recharging procedures followed. 	GOOD	FAIR	POOR	N/A	
5. Spills cleaned up immediately.	GOOD	FAIR	POOR	N/A	
Special Task Working With Stacks (If App	icable)				
To remove load from a high stack	-				
1. Stop straight and about a foot away from the stack	GOOD	FAIR	POOR	N/A	
2. Raise the mast until the forks are at the right height. Move forward slowly until the load is flush with the back of the forks.	GOOD	FAIR	POOR	N/A	

	1				
	GOOD				
3. Lift the load high enough to clear the item		FAIR	POOR	N/A	
below. Look over both shoulders and back					
straight out to clear the edge of the stack.	C00D	FAID	DOOD	NI / A	
 Stop and lower the load to the traveling position. 	GOOD	FAIR	POOR	N/A	
5. Tilt the load back and move out slowly.	GOOD	FAIR	POOR	N/A	
Special Task Working With Stacks (If App		TAIN	FOOR	N/A	COMMENTS
To place a load on a stack	icablej				COMMENTS
1. Approach it slowly and squarely.	GOOD	FAIR	POOR	N/A	
				,	
2. Stop about a foot away.	GOOD	FAIR	POOR	N/A	
				-	
3. Lift the mast high enough to clear the top of	GOOD	FAIR	POOR	N/A	
the stack.					
4. Inch forward until the load is square over the	GOOD	FAIR	POOR	N/A	
stack. 5. Level the forks and lower the mast until the	C00D	FAID	DOOD	NI / A	
load is no longer supported by the works.	GOOD	FAIR	POOR	N/A	
load is no longer supported by the works.					
6. Keep forks level so you don't hook anything.	GOOD	FAIR	POOR	N/A	
7. Look over both shoulders and back straight	GOOD	FAIR	POOR	N/A	
out.					
Ramps or Slopes (If Applicable)					
1. Stay well back from the edge.	GOOD	FAIR	POOR	N/A	
2. Never turn around on the slope.	GOOD	FAIR	POOR	N/A	
3. Drive with your load on the uphill side. This	GOOD	FAIR	POOR	N/A	
means you drive up slopes with your load in front and drive down slopes in reverse unless you're					
loading a trailer. When forks are empty, back up					
a slope and drive down it forwards.					
Docks (If Applicable)					
1. Make sure dock boards or bridge plates are	GOOD	FAIR	POOR	N/A	
properly secured and strong enough to handle					
the combined weight of your lift and its load.					
2. Keep the bridge or dock plates as level as	GOOD	FAIR	POOR	N/A	
possible and free of oil, dirt, water, ice or snow.					
3. Make sure railcars or trailers are secure so	GOOD	EVID	DOOD	NI / A	
3. Make sure railcars or trailers are secure so they won't roll forward when you drive on. Chock	GOOD	FAIR	POOR	N/A	
the wheels, set the brakes and use dock locks.					
are writers, set the brakes and use dock locks.					
4. Make sure the floor is strong enough and that	GOOD	FAIR	POOR	N/A	
you have enough overhead clearance.				,	
5. Check to see that the trailer or railcar is	GOOD	FAIR	POOR	N/A	
secured, and buckle your seatbelt before you				-	
enter.					

Based on my evaluation, the operator has successfully completed the evaluation and is qualified to operate the following equipment:

Based on my evaluation, the operator has not demonstrated competence in operating the following equipment:

Evaluator Signature: ______ Operator Signature: _____